



# SAFETY DATA SHEET

## 1. Identification

|   |   |
|---|---|
| <b>Product identifier</b>                                     | <b>NOZZLE-DIP® HD®</b>                          |
| <b>Other means of identification</b>                          |   |
| <b>Product Code</b>   | No. YOR-101-1PT (Item# 1008238)                 |
| <b>Recommended use</b>  | Protects nozzles and tips from spatter build-up |
| <b>Recommended restrictions</b>                               | None known.                                     |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |   |
| <b>Manufactured or sold by:</b>                               |   |
| <b>Company name</b>   | CRC Industries, Inc.                            |
| <b>Address</b>  | 885 Louis Dr.<br>Warminster, PA 18974 US        |
| <b>Telephone</b>  |   |
| <b>General Information</b>                                    | 215-674-4300                                    |
| <b>Technical Assistance</b>                                   | 800-521-3168                                    |
| <b>Customer Service</b>                                       | 800-272-4620                                    |
| <b>24-Hour Emergency (CHEMTREC)</b>                           | 800-424-9300 (US)                               |
| <b>Website</b>  | www.crcindustries.com                           |

## 2. Hazard(s) identification

|                              |  |                                   |
|------------------------------|--|-----------------------------------|
| <b>Physical hazards</b>      | Not classified.                                    |                                   |
| <b>Health hazards</b>        | Skin corrosion/irritation                          | Category 2                        |
|                              | Serious eye damage/eye irritation                  | Category 2A                       |
|                              | Sensitization, skin                                | Category 1                        |
|                              | Carcinogenicity                                    | Category 2                        |
|                              | Specific target organ toxicity, repeated exposure  | Category 2 (blood, kidney, liver) |
| <b>Environmental hazards</b> | Hazardous to the aquatic environment, acute hazard | Category 3                        |
| <b>OSHA defined hazards</b>  | Not classified.                                    |                                   |
| <b>Label elements</b>        |  |                                   |



|                                |   |
|--------------------------------|---|
| <b>Signal word</b>             | Warning   |
| <b>Hazard statement</b>        | Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause damage to organs (blood, kidney, liver) through prolonged or repeated exposure. Harmful to aquatic life.  |
| <b>Precautionary statement</b> |   |
| <b>Prevention</b>              | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. |
| <b>Response</b>                | If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention.   |

|  |   |
|--|---|
| <b>Storage</b>                                   | Store locked up.  |
| <b>Disposal</b>                                  | Dispose of contents/container in accordance with local/regional/national regulations. |
| <b>Hazard(s) not otherwise classified (HNOC)</b> | None known.   |
| <b>Supplemental information</b>                  | None.   |

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name          | Common name and synonyms | CAS number | %       |
|------------------------|--------------------------|------------|---------|
| coconut diethanolamide |                          | 68603-42-9 | 10 - 20 |
| diethanolamine         |                          | 111-42-2   | 1 - 3   |
| oleic acid             |                          | 112-80-1   | 1 - 3   |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

|   |   |
|---|---|
| <b>Inhalation</b>   | Move to fresh air. Call a physician if symptoms develop or persist.   |
| <b>Skin contact</b>   | Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.   |
| <b>Eye contact</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.               |
| <b>Ingestion</b>  | Rinse mouth. Get medical attention if symptoms occur.   |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Edema. Jaundice. Prolonged exposure may cause chronic effects. |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.  |
| <b>General information</b>  | IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.   |

### 5. Fire-fighting measures

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).  |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.  |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.  |
| <b>Fire-fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials. |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted.  |

### 6. Accidental release measures

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| <b>Methods and materials for containment and cleaning up</b>               | Prevent product from entering drains.<br><br>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.<br><br>Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.  |
| <b>Environmental precautions</b>   | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.   |

## 7. Handling and storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe the mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, see the product label. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Store in a cool, dry place out of direct sunlight. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).  |

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. ACGIH Threshold Limit Values

| Components                    | Type | Value               | Form                          |
|-------------------------------|------|---------------------|-------------------------------|
| diethanolamine (CAS 111-42-2) | TWA  | 1 mg/m <sup>3</sup> | Inhalable fraction and vapor. |

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components                    | Type | Value                         |
|-------------------------------|------|-------------------------------|
| diethanolamine (CAS 111-42-2) | TWA  | 15 mg/m <sup>3</sup><br>3 ppm |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

### Exposure guidelines

#### US - California OELs: Skin designation

diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

#### US ACGIH Threshold Limit Values: Skin designation

diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Wear protective gloves such as: Neoprene. Nitrile.

**Other** Wear appropriate chemical resistant clothing.

**Respiratory protection** If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

**Physical state** Solid, Liquid.

**Form** Gel.

**Color** Amber.

**Odor** Mild.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** 61.3 °F (16.3 °C) estimated

|   |                               |
|---|-------------------------------|
| <b>Initial boiling point and boiling range</b>      | 515.8 °F (268.8 °C) estimated |
| <b>Flash point</b>                                  | > 201 °F (> 93.9 °C)          |
| <b>Evaporation rate</b>                             | Not available.                |
| <b>Flammability (solid, gas)</b>                    | Not available.                |
| <b>Upper/lower flammability or explosive limits</b> |                               |
| <b>Flammability limit - lower (%)</b>               | Not available.                |
| <b>Flammability limit - upper (%)</b>               | Not available.                |
| <b>Vapor pressure</b>                               | 0.00002 hPa estimated         |
| <b>Vapor density</b>                                | Not available.                |
| <b>Relative density</b>                             | 0.98                          |
| <b>Solubility(ies)</b>                              |                               |
| <b>Solubility (water)</b>                           | Negligible.                   |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.                |
| <b>Auto-ignition temperature</b>                    | 685 °F (362.8 °C) estimated   |
| <b>Decomposition temperature</b>                    | Not available.                |
| <b>Viscosity</b>                                    | Not available.                |
| <b>Percent volatile</b>                             | 86 % estimated                |

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                   |
| <b>Conditions to avoid</b>                | Heat, flames and sparks. Contact with incompatible materials.                                 |
| <b>Incompatible materials</b>             | Strong acids. Strong bases. Strong oxidizing agents.  |
| <b>Hazardous decomposition products</b>   | Carbon oxides. Hydrocarbons.  |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | May cause damage to organs through prolonged or repeated exposure by inhalation. |
| <b>Skin contact</b> | Causes skin irritation.  |
| <b>Eye contact</b>  | Causes serious eye irritation.   |
| <b>Ingestion</b>    | Expected to be a low ingestion hazard.   |

**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Edema. Jaundice.

### Information on toxicological effects

**Acute toxicity** Not known.

| Components                    | Species | Test Results |
|-------------------------------|---------|--------------|
| diethanolamine (CAS 111-42-2) |         |              |
| <b>Acute</b>                  |         |              |
| <b>Dermal</b>                 |         |              |
| LD50                          | Rabbit  | 8180 mg/kg   |
| <b>Oral</b>                   |         |              |
| LD50                          | Rat     | 680 mg/kg    |

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

## Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Suspected of causing cancer.

### IARC Monographs. Overall Evaluation of Carcinogenicity

coconut diethanolamide (CAS 68603-42-9) 2B Possibly carcinogenic to humans.

diethanolamine (CAS 111-42-2) 2B Possibly carcinogenic to humans.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** May cause damage to organs (blood, kidney, liver) through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

| Components                    |      | Species   | Test Results                |
|-------------------------------|------|---|-----------------------------|
| diethanolamine (CAS 111-42-2) |      |   |                             |
| <b>Aquatic</b>                |      |   |                             |
| Crustacea                     | EC50 | Water flea (Ceriodaphnia dubia)                     | 61.8 - 86.04 mg/l, 48 hours |
| Fish                          | LC50 | Fathead minnow (Pimephales promelas)                | 100 mg/l, 96 hours          |
| oleic acid (CAS 112-80-1)     |      |   |                             |
| <b>Aquatic</b>                |      |   |                             |
| <i>Acute</i>                  |      |   |                             |
| Fish                          | LC50 | Rainbow trout,donaldson trout (Oncorhynchus mykiss) | 56 mg/l, 96 hours           |

**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.

### Bioaccumulative potential

#### Partition coefficient n-octanol / water (log Kow)

diethanolamine -1.43

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Hazardous waste code** Not regulated.

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Disposal instructions** This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

**IATA**

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**15. Regulatory information**

---

**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not regulated.

**US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance**

diethanolamine (CAS 111-42-2)

**CERCLA Hazardous Substance List (40 CFR 302.4)**

diethanolamine (CAS 111-42-2) Listed.

**CERCLA Hazardous Substances: Reportable quantity**

diethanolamine (CAS 111-42-2) 100 LBS

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

diethanolamine (CAS 111-42-2)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Classified hazard categories**  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitization  
Carcinogenicity  
Specific target organ toxicity (single or repeated exposure)

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**SARA 313 (TRI reporting)**

| Chemical name  | CAS number | % by wt. |
|----------------|------------|----------|
| diethanolamine | 111-42-2   | 1 - 3    |

**US state regulations**

**US. New Jersey Worker and Community Right-to-Know Act**

diethanolamine (CAS 111-42-2)

**US. Massachusetts RTK - Substance List**

diethanolamine (CAS 111-42-2)

**US. Pennsylvania Worker and Community Right-to-Know Law**

diethanolamine (CAS 111-42-2)

oleic acid (CAS 112-80-1)

**US. Rhode Island RTK**

diethanolamine (CAS 111-42-2)

oleic acid (CAS 112-80-1)

## California Proposition 65



**WARNING:** Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

coconut diethanolamide (CAS 68603-42-9) Listed: June 22, 2012  
diethanolamine (CAS 111-42-2) Listed: June 22, 2012

### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

coconut diethanolamide (CAS 68603-42-9)  
diethanolamine (CAS 111-42-2)

### Volatile organic compounds (VOC) regulations

#### EPA

**VOC content (40 CFR 51.100(s))** 1.4 %

**Consumer products (40 CFR 59, Subpt. C)** Not regulated

#### State

**Consumer products** Not regulated

**VOC content (CA)** 1.4 %

**VOC content (OTC)** 1.4 %

### International Inventories

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| Taiwan                      | Taiwan Toxic Chemical Substances (TCS)                                 | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 06-19-2018

**Prepared by** Allison Yoon

**Version #** 01

**Disclaimer** The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc..